WHEELCHAIRS, SCOOTERS & PATIENT AID PRODUCTS



FDA REGISTERED PRODUCTS













VISION

To become the largest and most-trusted Blackowned and woman-owned, sourcing, manufacturing, and distribution company in the world that expands opportunities for a growing diverse workforce.

MISSION

NOW Interactives aims to disrupt the global supply chain industry by leveraging the Buy American Act and Trade Agreement Acts to source, produce and distribute products through innovative channels and trade routes that reach our customers quicker than competitors.

PASSION

NOW Interactives is passionate about educating and creating equitable opportunities within the global supply chain industry for the Black and brown communities, while being a trusted diversity supplier for our valued partners.

OUR STORY

Founded in 2015, NOW Interactives is a certified minority-owned and woman-owned sourcing, manufacturing and distribution company based in Miami, FL, with a diverse team spread across the US and Europe. NOW boasts a company full of resourceful problem solvers, savvy salespeople, and an astute customer service team that produce effective solutions for each client, without compromising on quality, service, or integrity.

Trusted by government agencies, retailers, hospitals, and private corporations worldwide, NOW Interactives disrupts the supply chain industry by leveraging the Buy American Act and Trade Agreement Acts to source, produce, and distribute products through innovative channels and trade routes that reach our customers quicker than competitors. Offering a vast list of products from medical supplies and cleaning solutions to lithium-ion material and electric vehicle batteries, NOW Interactives is constantly expanding product offerings to serve a growing client base in a changing world-where resources have become scarce, and demand has swelled.

NOW is proud to be DAPA certified, FDA registered, GSA approved, and hold over 8 minority and small business certifications, which position us within the private and government sector as a premiere diversity supplier. We give ourselves the competitive edge by maintaining a highly experienced and diverse team, which allows us to compete with some of the country's top suppliers to serve the US military, Walgreens, and Baptist Health among others. NOW's success is rooted in commitment to our core values that emanate within our team and resonate with our valued clients and partners, serving as the backbone for our continued growth.

Ethics and Compliance – NOW Interactives leverages Buy American Act (BAA) and Trade Agreement Acts (TAA) to source, produce, and supply products through innovative channels and trade routes. As an FDA registered and GSA approved company, NOW Interactives is committed to only working with factories and vendors that are also compliant to uphold the integrity of the business and provide the best products and solutions for our customers.











Functional Manual Wheelchair

- Easy transferable to bed,car etc. with swivel-up armrests
- Armrest design simplify to use dining table and school desk.
- ▶ Foldable frame for easy transport and storage.
- Detachable footrests offering easy storage and extra maneuverability into narrow places, elevators etc.









- Functional Manual Wheelchair
- > Easy transferable to bed,car etc. with swivel-up armrests.
- > Armrest design simplify to use dining table and school desk.
- Detachable footrests offering easy storage and extra maneuverability into narrow places, elevators etc.
- The footrests designed to elevate 90° for relaxing with lenghten legs while seated.
- Foldable backrest and quick release axles save more space while transported.
- 200*50 PU front wheels provides easy driving on rough terrains and street drains.



Barcode No: 8698785010134

Golfi



GOLFI G133

Functional Manual Wheelchair

- Easy transferable to bed,car etc. with swivel-up armrests
- > Armrest design simplify to use dining table and school desk
- Detachable footrests offering easy storage and extra maneuvera bility into narrow places, elevators etc.
- The footrests designed to elevate 90° for relaxing with lenghten legs while seated.
- Foldable backrest and quick release axles save more space while transported
- 200*50 PU front wheels provides easy driving on rough terrains and street drains



olfi Golfi





- Extraordinary strenghten frame structure and double cross brace system offer bariatric users comfortable usage
- > Easy transferable to bed, car etc. with swivel-up armrests
- > Armrest design simplify to use dining table and school des
- Detachable footrests offering easy storage and extra maneuverability into narrow places, elevators etc.
- 200*50 PU front wheels provides easy driving on rough terrains and street drains.
- Seat and back cushion provides comfort in a long term usages.



Barcode No: 8698785010691

Golfi







- Aluminum lightweight foldable framefor easy transport and storage
- > Armrest design simplify to use dining table and school desk
- Detachable footrests offering easy storage and extra maneuverability into narrow places, elevators etc
- Foldable backrest and quick release axles save more space while transported.
- > Additional back rear wheels allow functional usage indoors.



Barcode No: 8698785010226

Golfi













Multi-functional Pediatric Wheelchair

- The backrest designed to recline 6 level/160° like as sunbed with considering users comfort in a long term usage
- Seat width, depth and backrest height designed for pediatric users
- The footrests designed to elevate 90° for relaxing with lenghten legs while seated
- The anti-tipper wheel protects the user if fall down while using the chair on the sloping areas and in a sunbed position







Aluminum Pediatric Wheelchair

- Seat width, depth and backrest height designed for pediatric users
- Special designed chest belt stabilize the patient againist to posture defects.
- Height adjustable footrests can be adjusted againist to of user leg height
- Adjustable seat width provides longterm usage for pediatric patient growth
- > Additional seat cushion provide extra comfortability





Pediatric Cerebral Palsy Wheelchair

- Designed for patients with Cerebral Palsy and Abnormal Posture
 - Seat width, depth, footrests and backrest height designed for pediatric users

G458C

GOLFI

- The backrest designed to recline 160° like as sunbed with considering users comfort in a long term usage
- Easy to adjust chest holders to fix the user body upright position
 - Adjustable positioning front padded support protects the users regarding to fall down from the chair
 - The frame allows tilting between 3°-22° up to user demand
 - The footrests designed to elevate 90° for relaxing with lenghten legs while seated
 - The anti-tipper heel protects the user if fall down while $\,\ll\,$ using the chair on the sloping areas and in a sunbed position





Pediatric Cerebral Palsy Wheelchair

- Designed for patients with Cerebral Palsy and Abnormal Posture
- Seat width, depth, footrests and backrest height designed for pediatric users
- > Special designed seat for pediatric users comfortability
- > Dining table offers easy feeding at all areas
- > Easy to adjust chest holders to fix the user body upright position
- ▶ The frame allows tilting between 3°-22° up to user demand
- The anti-tipper heel protects the user if fall down while using the chair on the sloping areas and in a sunbed position























Multi-functional structure allows to use indoor and on the closet

- Waterproof upholstery provides a long term usage for bathing
- Waterproof upholstery provides a long term usage for bathin bathing
- Easy transferable to bed,car etc. with flip-down armrests
- The padded cover of toilet apparatus provides comfort while seated. The middle part of seat can slide out to offer easy usage while seated
- Adaptable on closet with excluding the bucket
- The wheels with brake help to immobilize chair for slippery slopes while eliminating











Aluminum Shower Commode Wheelchair

- Stainless aluminum frame allows long lifetime for usage into bath, toilet etc
 - Easy usage on the closet and indoor with multi-functional structure
 - EVA padded cover of toilet apparatus *«* provides comfort while seated
- Waterproof PE seat&back provides a long term usage for bathing 🔌
- Easy transferable to closet, bed, car etc. with swivel-up armrests 🚿
 - Easy to adapt on the closet after removing the bucket 🚿
- Quick release axles allow to use chair indoor and easy transport



Barcode No: 8698785010615

Golfi







Jetty'



- Extraordinary strenghten frame structure *«* offers confidential usage
 - Easy transferable to bed,car etc. with swivel-up armrests
- Foldable frame for easy transport and storage 🔫
 - 12" PU designed rear wheels are protected *«* againist to melt and cracks
 - 200*50 PU front wheels provides easy *«* driving on rough terrains and street drains
 - Available manual usage after *«* disengage the motor lever once needed
 - The anti-tipper wheel protects the user if fall down while using the chair on the sloping areas







Jetty'

JT200

- Easy transferable to bed,car etc. with flip away *«* and height adjustable armrests
- Positioning the backrest offers extra comfort to the users *«*
 - Foldable backrest save more space while transported *«*
 - 12" PU designed rear wheels are protected againist to melt and cracks
 - 200*50 PU front wheels provides easy *«* driving on rough terrains and street drains
 - Available manual usage after *«* disengage the motor lever once needed
 - The anti-tipper wheel protects the user if fall down « while using the chair on the sloping areas
 - Ergonomic captain seat provides comfort in a long term usages



Maximum Speed	: 6.0 km/h
Maximum Range	: 25 km
Turning Radius	: 58 cm
Motors	: 2×DC 24V 250W
Controller	: European Type 45-50A
Batteries	: 2x32 AH Gel
Charger	: DC 24V 5A
Brake	: Electromagnetic
Maximum Safe Slope	: 12*
Maximum Curb Climb	: 10 cm
Backrest Recline	:
Body Type	: Folding
Product Weight	: 65 kg
Carrying Capacity	: 136 kg





Lighweight Aluminum Power Wheelchair

- One button foldability, lithium batteries allows easy carriage and transport
- Easy transferable to bed,car etc. with swivel-up armrests 🚿
 - Carriage bag for belongings ◄
- 12" PU designed rear wheels are protected againist to melt and cracks 🔌
 - 200*50 PU front wheels provides easy driving on rough terrains and street drains
 - Available manual usage ◀ after disengage the motor lever once needed
 - The anti-tipper wheel protects the user if fall down while using the chair on the sloping areas
 - Seat&back cushions provides comfort in a long term usages 🔌



Barcode No: 8698785010806

Jetty'







- Special designed frame with rubber tracks allows movement onto stairs
- Extraordinary strenghten frame structure offers confidential usage
- Foldable frame for easy transport and storage
- Back and front handles allows to carry as stretcher as needed
- Available manual usage after disengage the motor lever once needed
- Seat&back cushion provides comfort in a long term usages

Body Material	: 6063 Aluminum
Battery	: 2x12 AH Lead Acid
Engine	: 120 W - 3000rpm
Maximum Slope	: 5°
Stair Slope	:35±5°
Minimum Ladder Width	: 800mm
Dimensions	: 1.012mm / 512mm / 1.250mm
Maximum Loading Capacity	: 90kg
Product Weight	: 43kg
TSE Standard	: TS EN ISO 7176-28





SCUBA **S190** Multi-functional Power Wheelchair

- Extraordinary strenghten frame structure offers confidential usage
- Easy transferable to bed,car etc. with flip away and height adjustable armrests
- Positioning the backrest offers extra comfort to the users
- Foldable backrest save more space while transported
- Back suspension system protects the user with absorbing the shock hits
- 14"(3.00-8) Pneumatic drive wheels help the user drive the chair on rough terrains, lands and high sidewalked cities easily
- 9"(2.80/2.50-4) Pneumatic front wheels provides easy driving on rough terrains and street drains
- Available manual usage after disengage the motor lever once needed
- Ergonomic captain seat provides comfort in a long term usages

Maximum Speed	: 6.0 km/h
Maximum Range	: 40 km
Turning Radius	: 58 cm
Motors	: 2×DC 24V 450W
Controller	: PG VR2 60AH
Batteries	: 2x55 AH Gel
Charger	: DC 24V 5A
Brake	: Electromagnetic
Maximum Safe Slope	: 23*
Maximum Curb Climb	: 26 cm
Backrest Redine	: 45°
Product Weight	: 90 kg
Maximum Loading Capacity	: 136 kg





SCUBA S220 Multi-functional Power Wheelchair

- Extraordinary strenghten frame structure offers confidential usage.
- Easy transferable to bed,car etc. with flip away and height adjustable armrests.
- Positioning the backrest offers extra comfort to the users.
- Back warning lamb and lighting system offers more visibility.
- Foldable backrest save more space while transported.
- Back suspension system protects the user with absorbing the shock hits.
- 14"(3.00-8) Pneumatic drive wheels help the user drive the chair on rough terrains, lands and high sidewalked cities easily.
- 9"(2.80/2.50-4) Pneumatic front wheels provides easy driving on rough terrains and street drains.
- Available manual usage after disengage the motor lever once needed.
- Ergonomic captain seat provides comfort in a long term usages.

Maximum Speed	:6 KM/H
Maximum Range	: 40 km
Turning Radius	: 82 cm
Motors	: 2xDC 24V 450W
Controller	: PG VR2 70A
Batteries	: 2x55 AH Gel
Charger	: 5 Amp Off-Board
Brake	: Electromagnetic
Maximum Safe Slope	: 12*
Maximum Curb Climb	: 10 cm
Backrest Recline	: 45°
Body Type	: Fixed
Product Weight	: 104 kg
Maximum Loading Capacity	: 180 kg











Standing Power Wheelchair

Maximum Speed	: 10 km/h	
Maximum Range	: 22 km	
Motors	: 2x DC 24V 340W	
Controller	: Dynamic 60A	
Batteries	: 2x55 AH Gel	
Maximum Safe Slope	: 12°	
Product Weight	: 143 kg	
Maximum Loading Capacity	: 140 kg	

- Automatically standing&elevating frame structure offers highest accessibility
- Easy transferable to bed,car etc. with flip away and height adjustable armrests.
- Positioning the backrest&legrests offers extra comfort to the users.
- Back suspension system protects the user with absorbing the shock hits.
- 14"(3.00-8) Pneumatic drive wheels help the user drive the chair on rough terrains, lands and high sidewalked cities easily.
- 10"(3.00-4) Pneumatic front wheels provides easy driving on rough terrains and street drains.
- Available manual usage after disengage the motor lever once needed.
- The anti-tipper wheel protects the user if fall down while using the chair on the sloping areas.
- Back&Seat cushion provides comfort in a long term usages.
- Lighting system offers more visibility.



SCOOTER



SCOOTER



SCOOTER



- Extraordinary strenghten frame structure offers confidential usage.
- Back warning lamb and lighting system offers more visibility
- Foldable backrest save more space while transported
- Back suspension system protects the user with absorbing the shock hits
- 410/350-5" Pneumatic drive&front wheels help the user drive the chair on rough terrains, lands and high sidewalked cities easily
- Available manual usage after disengage the motor lever once needed
- Ergonomic captain seat provides comfort in a long term usages

Maximum Speed	: 12 KM / H	
Maximum Range	: 40 km	
Turning Radius	: 82 cm	
Motors	: 1x DC 24V 600W (MTM)	
Controller	: PG S-Drive 120A	
Batteries	: 2x40 AH Gel	
Charger	: 5 Amp Off-Board	
Brake	: Electromagnetic	
Maximum Safe Slope	: 12°	
Maximum Curb Climb	: 10 cm	
Backrest Recline	: 45°	
Body Type	: Fixed	



AIR CUSHION























PATIENT AID PRODUCTS



PATIENT AID PRODUCTS



PATIENT AID PRODUCTS



			G099	G100	G100Y	G101	G103	G130	G131
8	Seat Width	-	46 cm	44 cm	44 cm	44 cm	46 cm	35-40 🚮 50 cm	35-40 🔢 50 cm
h	Seat Depth	1	42 cm	41 cm	42 cm	43 cm	43 cm	41 cm	42 cm
h:	Seat Height	i,	48 cm	48 cm	48 cm	50 cm	51 cm	52 cm	52 cm
ł,	Seat Angle	1						×.	
8	Backrest Height	1	35 cm	40 cm	40 cm	38 cm	42.5 cm	50 cm	42 cm
ł,	Armrest Height	1	21 cm	32 cm	25 cm	28.5 cm	22 cm	23 cm	22 cm
B	Overall Width	\$	68.5 cm	63.5 cm	67 cm	63.5 cm	63 cm	66 cm	65 cm
Ši,	Overall Height	1	85.5 cm	84.5 cm	86 cm	85 cm	87 cm	92-102 cm	92-102 cm
è,	Overall Length	1	97 cm	103 cm	102 cm	101 cm	102 cm	100 cm	98 cm
Đ	Folded Width	÷	27 cm	27 cm	27 cm	23 cm	26 cm	31 cm	31 cm
4	Rear Wheel	÷	24" PVC Filled	24" PVC Filled	24" PVC Filled	24" PVC Filled	24" Pnuematic	24" PU Filled	24" PU Filled
4	Front Wheel	2	7" PVC Filled	8" PVC Filled	8" PVC Filled	8" PVC Filled	7" PVC Filled	8" PU Filled	8" PU Filled
\$	Material	1	Steel						
4	Seat Tilt	ł,							
	Product Weight	÷	12.78 kg	13.28 kg	16.58	15.08 kg	15.72 kg	17.08 kg	19.20 kg
8	Maximum Loading Capacity		100 kg	100 kg	100 kg	120 kg	120 kg	120 kg	120 kg
8	Dimensions of Carton	ł	89x24x87 cm	94x22x87 cm	96x27x86 cm	89x21x87 cm	82x26x87 cm	79x33x78 cm	79x33x78 cm
-	Loading Quantities for Containers	1	135 AD / 20' DC 355 AD / 40' DC	148 AD / 20' DC 376 AD / 40' DC	147 AD / 20' DC 375 AD / 40' DC	150 AD / 20' DC 378 AD / 40' DC	151 AD / 20' DC 350 AD / 40' DC	147 AD / 20' DC 350 AD / 40' DC	147 AD / 20' DC 350 AD / 40' DC

				0.	Ā.	de			
G132	G133	G135	G140	G124E	G458	G630			
50-55-60 cm	50-55 cm	50-55-60 cm	55 cm	46 cm	44 cm	46 cm	1	Seat Width	8
40 cm	41 cm	41 cm	47 cm	45 cm	39 cm	42 cm	:	Seat Depth	à,
56 cm	50 cm	60 cm	56 cm	52.5 cm	49 cm	49 cm	1	Seat Height	¢.
							:	Seat Angle	9
45 cm	46 cm	41 cm	40 cm	44-73.5 cm	50 cm	46 cm	:	Backrest Height	8
26 cm	26 cm	22 cm	22 cm	23 cm	23.5 cm	26 cm	4	Armrest Height	à
64 cm	64 cm	64 cm	71 cm	62.5 cm	60 cm	68 cm	:	Overall Width	8
100 cm	100 cm	100 cm	94 cm	119 cm	124 cm	96 cm	:	Overall Height	di
105 cm	110 cm	102 cm	111 cm	130 cm	114 cm	112 cm	ः	Overall Length	à
30 cm	30 cm	30 cm	31.cm	27.5 cm	33 cm	33 cm	Ŧ	Folded Width	H
24" PU Filled	16" PU Filled	24" PU Filled	1	Rear Wheel	à				
8" PU Filled	6" PVC Filled	8" PVC Filled	:	Front Wheel	2				
Steel	Steel	Steel	Steel	Steel	Steel	Aluminum	1	Material	-
		-						Seat Tilt	3
17.44 kg	20 kg	18.58 kg	19.20 kg	21.70 kg	22.64 kg	16.68 kg		Product Weight	ĵ,
120 kg	120 kg	205 kg	205 kg	120	100 kg	120 kg	-	Max. Loading Capacity	ê
80x30x90 cm	80x30x90 cm	78x30x80 cm	82x32x90 cm	96.5x31x87	81x36x94 cm	82x34x79 cm	;	Dimensions of Carton	-
130 AD / 20' DC 301 AD / 40' DC	130 AD / 20' DC 301 AD / 40' DC	130 AD / 20' DC 330 AD / 40' DC	104 AD / 20' DC 300 AD / 40' DC	108 AD / 20' DC 250 AD / 40' DC	98 AD / 20' DC 200 AD / 40' DC	127 AD / 20' DC 295 AD / 40' DC	4	Loading Quantities for Containers	04

					景				
			G636	G637	G507	G100C	G124C	G305	G333
] Se	at Width	1	46 cm	46 cm	47.5 cm	38 cm	38 cm	35 cm	20-30-35 cm
h se	at Depth		42.5 cm	45.5 cm	50 cm	39.5 cm	38 cm	37.5 cm	26-30-36 cm
se Se	at Height	i.	52 cm	50 cm	50 cm	48 cm	47.5 cm	49 cm	47-44-39 cm
di Se	at Angle	10							
Ва	ackrest Height	÷	41 cm	48 cm	48 cm	40 cm	37.5 cm	42 cm	39 cm
à Ar	mrest Height		26 cm	23-27.5 cm	26 cm	23 cm	22 cm	20 cm	21 cm
B 01	verall Width	i.	66 cm	74 cm	74 cm	54 cm	56 cm	53 cm	41-43-46 cm
5, O	verall Height		94 cm	103 cm	103 cm	86 cm	100 cm	93 cm	86 cm
à o	verall Length	1	107 cm	72 cm	93 cm	94 cm	125 cm	90 cm	73 cm
E Fo	olded Width		31 cm	35 cm		23.5 cm	33 cm	32 cm	40 cm
Re Re	ear Wheel	÷	24" PU Filled	24" PU Filled	8" PU Filled	22" PVC Filled	22" PU Filled	22" PU Filled	20° Pnuematic
h. Fr	ont Wheel		7" PU Filled	7" PU Filled	4" PU Filled	6" PVC Filled	6° PVC Filled	6" PVC Filled	4" PU Filled
en Ma	aterial	:	Aluminum	Aluminum	Aluminum	Steel	Steel	Aluminum	Aluminum
by se	sat Tilt	1							
i Pr	oduct Weight	1	13.10 kg	15.30 kg	21.38 kg	14.28 kg	19.52 kg	11.24 kg	14.92 kg
B M	aximum Loading Capacity		120 kg	100 kg	150 kg	75 kg	75 kg	100 kg	75 kg
g Di	imensions of Carton	ŧ.	79x36x77 cm	80x28x91 cm		85x21x87.5 cm	84x34x82 cm	90x34x74 cm	76x39x90 cm
	ading Quantities for ontainers	1	128 AD / 20' DC 297 AD / 40' DC	137 AD / 20' DC 319 AD / 40' DC		182 AD / 20' DC 462 AD / 40' DC	120 AD / 20' DC 278 AD / 40' DC	125 AD / 20' DC 280 AD / 40' DC	105 AD / 20' DC 250 AD / 40' DC

A.	-								
G458C	G468	G105	G501	G502	G503	G505			
38 cm	33 cm	45 cm	45 cm	46 cm	46 cm	46 cm	.:	Seat Width	8
39 cm	31.5 cm	39 cm	39 cm	38 cm	37.5 cm	42 cm	:	Seat Depth	à,
50 cm	51 cm	44 cm	50 cm	47 cm	47 cm	51 cm	:	Seat Height	¢.
	-		<i>\$</i>				:	Seat Angle	9
45 cm	60 cm	42 cm	37 cm	41.5 cm	42 cm	47 cm	:	Backrest Height	8
14-25 cm	13 cm	26 cm	16 cm	18 cm	18 cm	21 cm	:	Armrest Height	à
57.5 cm	44-54.5 cm	58 cm	55 cm	59 cm	64 cm	58 cm	:	Overall Width	8
102-118 cm	103 cm	88 cm	87.5 cm	91 cm	92 cm	97 cm	:	Overall Height	di
113 cm	86 cm	89 cm	80 cm	77 cm	92 cm	101 cm	ः	Overall Length	à
36 cm	-	28 cm	29 cm	24.5 cm	31 cm	30.5 cm	Ŧ	Folded Width	H
8" PU Filled	12" PU Filled	16" PU Filled	12° PU Filled	12" PU Filled	20" PU Filled	8" PVC Filled	1	Rear Wheel	à
4" PVC Filled	5.5" PU Filled	8" PVC Filled	6" PVC Filled	6° PVC Filled	6" PVC Filled	8" PVC Filled	:	Front Wheel	2
Aluminum	Aluminum	Steel	Aluminum	Aluminum	Aluminum	Aluminum	1	Material	-
Available						20		Seat Tilt	3
11.90 kg	16.92 kg	13.50 kg	9.36 kg	10.50 kg	11.50 kg	8.82 kg		Product Weight	ii.
100 kg	100 kg	120 kg	100 kg	120 kg	120 kg	100 kg	1	Max. Loading Capacity	Ê
81x36x94 cm	80x41x69 cm	74x23x72 cm	72x25x74 cm	70x29x75 cm	80x30x75 cm	31x31x86 cm	:	Dimensions of Carton	
02 AD / 20' DC 37 AD / 40' DC	125 AD / 20' DC 300 AD / 40' DC	230 AD / 20' DC 550 AD / 40' DC	210 AD / 20' DC 488 AD / 40' DC	185 AD / 20' DC 450 AD / 40' DC	155 AD / 20' DC 380 AD / 40' DC	350 AD / 20' DC 825 AD / 20' DC	4	Loading Quantities for Containers	04

									PIT
			OF A	UPP	Ster.	1 A	A BA	44	47
			G605	G120	G124	G125	G125A	G550	G551
8	Seat Width	1	46 cm	46 cm	46 cm	44 cm	44 cm	51 cm	43 cm
dı,	Seat Depth	1	37 cm	43 cm	45 cm	43 cm	44 cm	43 cm	43 cm
h.	Seat Height	÷	46 cm	53 cm	56 cm	51 cm	50 cm	48-68 cm	50 cm
è,	Seat Angle	1		-	3°				
8	Backrest Height	1	42 cm	42.5 cm	51 cm	37 cm	38 cm	31 cm	48 cm
da,	Armrest Height	1	21.5 cm	19 cm	26 cm	23 cm	24 cm	20 cm	20 cm
8	Overall Width	÷	63 cm	64 cm	66 cm	60 cm	60 cm	59 cm	59 cm
ði,	Overall Height	÷	91 cm	85 cm	128 cm	89 cm	89 cm	77-101 cm	94 cm
è,	Overall Length	÷	100 cm	102 cm	135 cm	87 cm	87 cm	66 cm	88 cm
Ð	Folded Width	÷	31 cm	27 cm	32 cm	20.5 cm	20.5 cm		30 cm
à,	Rear Wheel	÷	20" PU Filled	24" PVC Filled	24" PU Filled	5" PU Filled	5" PU Filled W/Brake	5" PU Filled	10° PU Filled
de,	Front Wheel	1	6° PVC Filled	7" PVC Filled	8" PU Filled	5" PU Filled	5" PU Filled	5° PU Filled	4* PVC Filled
\$	Material	÷	Aluminum	Steel	Steel	Steel	Steel	Steel	Aluminum
4	Seat Tilt	1							
	Product Weight	÷	11.14 kg	19.22 kg	27.20 kg	11.98 kg	12.44 kg	11.98 kg	9,0 kg
8	Maximum Loading Capacity	4	120 kg	120 kg	120 kg	100 kg	100 kg	100 kg	120 kg
8	Dimensions of Carton	÷	80x30x70 cm	81x28x90 cm	96x33x93 cm	56x32x52 cm	56x32x52 cm	64x54x68 cm	86x22,5x61,5 cm
-	Loading Quantities for Containers	1	165 AD / 20' DC 380 AD / 40' DC	140 AD / 20' DC 340 AD / 40' DC	98 AD / 20' DC 240 AD / 40' DC	300 AD / 20' DC 698 AD / 40' DC	300 AD / 20' DC 698 AD / 40' DC	119 AD / 20' DC 277 AD / 40' DC	235 AD / 20' DO 546 AD / 40' DO

G561	PR-771	JT-099	JT-100	JT-W111A	JT-200	JT-311			
43 cm	45.5 cm	46 cm	46 cm	46 cm	50 cm	46 cm	1	Seat Width	8
43 cm	43,5 cm	42 cm	41 cm	41 cm	44 cm	40 cm	:	Seat Depth	à,
52 cm	45 cm	50 cm	50 cm	50 cm	48 cm	57 cm	:	Seat Height	čk.
			2	2			:	Seat Angle	9
45 cm	32 cm	42 cm	40 cm	43 cm	49 cm	46 cm	:	Backrest Height	8
21 cm	20 cm	23 cm	21 cm	21 cm	20 cm	23.5 cm	+	Armrest Height	à
69 cm	52 cm	60 cm	63 cm	65 cm	62 cm	63 cm	:	Overall Width	₽
99 cm	76 - 87 cm	96 cm	90 cm	96 cm	110 cm	96-129 cm	:	Overall Height	ð.
105 cm	49 cm	104 cm	106 cm	104 cm	102 cm	110 cm	ः	Overall Length	è,
		43 cm	37 cm	33 cm		36.5 cm	1	Folded Width	Ħ
24" PU Filled	3" PVC Filled	16" Pnuematic	12° PU Filled	12" PU Filled	12" PU Filled	12" PU Filled	ः	Rear Wheel	à
4" PVC Filled	3" PVC Filled	10" Pnuematic	8" PU Filled	8" PU Filled	8" PU Filled	8" PU Filled	3	Front Wheel	2
Aluminum	Steel	Steel	Steel	Steel	Steel	Aluminum	1	Material	-
	1	48					:	Seat Tilt	3
14 kg	7,28 kg	42,18 kg	60 kg	59 kg	65 kg	31,44 kg	1	Product Weight	a,
110 kg	100 kg	136 kg	136 kg	136 kg	136 kg	136 kg	1	Max. Loading Capacity	ê
72x58x40 cm	53x18x79 cm	82x45x72 cm	76x41x80 cm	76x32x78 cm	84x62x62 cm	63x44x92 cm	;	Dimensions of Carton	T
168 AD / 20' DC 389 AD / 40' DC	380 AD / 20' DC 900 AD / 40' DC	105 AD / 20' DC 245 AD / 40' DC	100 AD / 20' DC 252 AD / 40' DC	148 AD / 20' DC 343 AD / 40' DC	85 AD / 20' DC 210 AD / 40' DC	115 AD / 20' DC 365 AD / 40' DC	4	Loading Quantities for Containers	64

		-	b.			*	17-10 m
			ALA	0	A L	100	12.7
		S150	S190	S220	\$301	\$350	S550
Seat Width	1	36 cm	50 cm	45 cm	44 cm	50 cm	37 cm
], Seat Depth	1	40 cm	43 cm	43 cm	46 cm	48 cm	35 cm
🐒 Seat Height	i.	54 cm	61 cm	61 cm	56-69 cm	56 cm	61cm
Seat Angle	13		-	• 3	-	-	
Backrest Height	1	43 cm	54 cm	54 cm	54 cm	71 cm	31 cm
Armrest Height	1	27 cm	23 cm	23 cm	26-27 cm	25 cm	85 cm
	÷	52 cm	65 cm	65 cm	65 cm	65 cm	57 cm
), Overall Height	1	109 cm	108 cm	108 cm	133 cm	121 cm	87 cm
y Overall Length	1	80 cm	110 cm	110 cm	132 cm	125 cm	123 cm
Folded Width	1	32 cm	•	-	-	65 cm	39 cm
Rear Wheel	1	6" PVC Filled	14" Pnuematic	14" Pnuematic	14" Pnuematic	410/350-5" Pnuematic	10" PU Filled
Front Wheel	t.	4" PVC Filled	10" Pnuematic	10° Pnuematic	10" Pnuematic	410/350-5" Pnuematic	10° PU Filled
(h Material	:	Aluminum	Steel	Steel	Steel	Steel	Aviation Aluminum
Seat Tilt	I.					-	
Product Weight	1	41.88 kg	96,50 kg	99,5 kg	143 kg	95 kg	28,2 kg
Maximum Loading Capacity	3	90 kg	136 kg	180 kg	110 kg	180 kg	120 kg
Dimensions of Carton	÷	110x33x57 cm	86x66x85 cm	95x69x73 cm	120x73x88 cm	120x73x88 cm	80x42x50 cm
Loading Quantities for Containers	1	135 AD / 20 DC 314 AD / 40' DC	60 AD / 20 DC 140 AD / 40 DC	48 AD / 20' DC 108 AD / 40' DC	36 AD / 20' DC 84 AD / 40' DC	36 AD / 20 DC 84 AD / 40 DC	167 AD / 20 DC 387 AD / 40 DC

			Ĩ	T	Ĩ	T	Ť	1
di.	Height		PR-102	PR-103	PR-104	PR-105	PR-106	PR-107
A	Product Weight			0.34 kg	0.36 kg	0.34kg	0.88 kg	0.16 kg
•	Material		Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
*	Color of Parts		Bronze	Grey	Black	Bronze	Grey	Grey-Bronze
8	Dimensions of Carton	:	65x15x28 cm	65x15x28 cm	63x16x27 cm	63x16x27 cm	86x31x41 cm	39x13x29 cm
-	Piece / Carton		20 PCS / Carton	20 PCS / Carton	20 PCS / Carton	20 PCS / Carton	10 PCS / Carton	20 PCS/ Cartor
			T PR-843	小 PR-844	PR-602	PR-603	PR-603C	PR-691
ð,	Height	;	74-98 cm	74-98 cm	86-116 cm	104-132 cm	60-77 cm	84-120 cm
8	Product Weight		0.74 kg	0.84 kg	0.50 kg	0.62 kg	0.50 kg	0.92 kg
۰	Material	1	Aluminum	Aluminum	Aluminum	Alüminyum	Aluminum	Aluminum
	Material Color of Parts			Aluminum Grey	Aluminum Black	Alüminyum Grey	Aluminum Grey	Aluminum 5 Colors
*		1						

			A	H	Ī
			PR-9115	PR-911M	PR-911L
ď.	Height	:	97-118 cm	115-135 cm	135-156 cm
â	Product Weight	:	0.66 kg	0.86 kg	0.94 kg
A	Material		Aluminum	Aluminum	Aluminum
ð.	Color of Parts	;	Grey-Yellow	Grey-Yellow	Grey-Yellow
8	Dimensions of Carton	:	103x36x30 cm	143x36x30 cm	143x36x30 cm
8	Piece / Carton	:	10 Pair / Carton	10 Pair / Carton	10 Pair / Carton

			PR-981	PR-991	PR-999	
ď,	Height	3	107-130 cm	106-144 cm	88-129 cm	
8	Product Weight	:	1.02 kg	1.08 kg	1.08 kg	
*	Material	:	Aluminum	Aluminum	Aluminum	
th.	Color of Parts		Grey	Purple-Blue-Red-Yellow	Grey	
	Dimensions of Carton	:	20x105x130 cm	106x12x23 cm	81x7x26 cm	
Ŧ	Piece / Carton	:	10 Pair / Carton	1 Pair	4 Pair / Carton	



			H	HA	TA	A	A	AT
			PR-440	PR-441	PR-442	PR-443	PR-444	PR-445
1	Length	1	49 cm	53 cm	38 cm	51 cm	41 cm	47 cm
H	Width		67 cm	67 cm	55 cm	55 cm	54 cm	54 cm
I	Height	:	75-94 cm	82-94 cm	63-76 cm	66-77 cm	52-62 cm	52-62 cm
6	Product Weight	:	2.24 kg	2.62 kg	2.02 kg	2.34 kg	1.34 kg	1.56 kg
۸	Material	:	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
۸	Color of Parts	1	Grey	Grey	Grey	Grey	Grey	Bronze
Ŧ	Dimensions of Carton	1	55x29x80 cm	55x32x85 cm	55x29x69 cm	56x32x72 cm	50x38x65 cm	49x38x65 cm
-	Piece / Carton	:	4 PCS / Carton					

			PR-447	PR-448	PR-449	PR-491
1	Length	:	49 cm	48 cm	48 cm	45 cm
e e e e e e e e e e e e e e e e e e e	Width	:	64 cm	66 cm	66 cm	63 cm
I	Height	:	75-94 cm	81-99 cm	75-93 cm	74-93 cm
8	Product Weight	1	2.24 kg	2.24 kg	2.64 kg	2.88 kg
2	Material	:	Aluminum	Aluminum	Aluminum	Aluminum
2.	Color of Parts	:	Bronze	Grey	Grey	Blue
\$	Dimensions of Carton	:	55x30x80 cm	55x28x82 cm	57x44x79 cm	60x10x81 cm
•	Piece / Carton		4 PCS / Carton	4 PCS / Carton	4 PCS / Carton	1 PCS / Carton

PR891 Aluminum Luxury Rollator







PREMIER Contracted Supplier

The Future of Supply Chain is NOW

+1 954 288 5228 www.nowinteractives.com





